



UNITED STATES PATENT AND TRADEMARK OFFICE

ET

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/708,558	03/11/2004	Neil Clarke	144441	2557
23413	7590	08/15/2006	EXAMINER	
CANTOR COLBURN, LLP 55 GRIFFIN ROAD SOUTH BLOOMFIELD, CT 06002			DOERRLER, WILLIAM CHARLES	
			ART UNIT	PAPER NUMBER
			3744	

DATE MAILED: 08/15/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/708,558	Applicant(s) CLARKE, NEIL	
	Examiner William C. Doerrler	Art Unit 3744	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 31 July 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 16-24 is/are allowed.
- 6) ☒ Claim(s) 1,2,5-10,13-15 and 25 is/are rejected.
- 7) ☒ Claim(s) 3,4,11 and 12 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 11 March 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1,2,5-10,13-15 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Turner in view of Paul and either of Siebert et al or Ikeda et al.

Turner discloses applicant's basic inventive concept, a cryostat for an MRI device with a burst disk to ensure safety, substantially as claimed with the exception of using parallel passages with burst disks to enable switching between disks and valves for both the inlets and outlets of the parallel passages which feed into a common outlet. Paul shows parallel passages, each with a burst disk and a valve to control the flow into the parallel passages to be old in the overpressure safety art. Siebert et al and Ikeda et al each show parallel passages with both upstream and downstream valves in the parallel passages with common inlet and outlet passages. It would have been obvious to one of ordinary skill in the art at the time of applicant's invention from the teaching of Paul and either Seibert et al or Ikeda et al to modify the cryostat with burst disk overpressurization control by adding a second passage with a burst disk to enable the switching of passages to improve the safety of the device and to enable one disk to be accessed while the other provides protection and to use valves in the downstream section of the parallel passages to stop fluid from entering the passages from the exit.

Art Unit: 3744

In regard to claims 5-7 and 13, the type of valves used is seen as a matter of obvious design choice since all the claimed valves are known in the art and no criticality has been shown for using one type of valve over another. In regard to claims 8,9,14 and 15, the pressure at which the burst disks burst is seen as a matter of obvious design choice depending on the desired pressure of the system. In regard to claim 25, Siebert et al shows screens 25 discussed beginning in line 45 of column 19 to prevent blockage of flow, and the valve of Paul is designed so that at least one of the flowpaths will be accessible.

Allowable Subject Matter

Claims 16-24 are allowed.

Claims 3,4,11 and 12 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments


Applicant's arguments with respect to claims 1,2,5-10,13-15 and 25 have been considered but are moot in view of the new ground(s) of rejection. The newly added references show parallel passages for fluid treatment with valves at both the common inlet and common outlet passage.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William C. Doerrler whose telephone number is (571) 272-4807. The examiner can normally be reached on Monday-Friday 6:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


William C Doerrler
Primary Examiner
Art Unit 3744

WCD